



LC 232

Dewatering application






SINGLE PUMP


Further product documentation
net.grundfos.com/qr/i/99918634





DUAL PUMP


Further product documentation
net.grundfos.com/qr/i/99918635





S-1 = analog







LC 232

0.00m

Reset OK

On Off Auto On Off Auto

1 2

GRUNDFOS

LC 232

1.10m

Reset OK

On Off Auto On Off Auto

1 2

GRUNDFOS

LC 232

1.30m

Reset OK

On Off Auto On Off Auto

1 2

GRUNDFOS

LC 232


1.10m

Reset OK

On Off Auto On Off Auto

1 2

GRUNDFOS



S-2 = digital







Diagram 1: A hand presses the Up arrow button, followed by the OK button. The digital display shows '0.00 ft' and '0.00 m'. Below the display is a schematic of a two-pump system. The physical device is a Grundfos LC 232 control panel with a digital display showing '0.00 ft' and '0.00 m', and buttons for 'Reset', 'OK', and a Wi-Fi symbol. Below the display are two pump status indicators labeled '1' and '2', each with 'On', 'Off', and 'Auto' options.

Diagram 2: A hand presses the Up arrow button, then the Down arrow button, and finally the OK button twice. The digital display shows '1.00'. The physical device display shows '1.00' with a starburst effect.

Diagram 3: A hand presses the OK button, then the Up arrow button, then the Down arrow button, and finally the OK button twice. The digital display shows '2.00'. The physical device display shows '2.00' with a starburst effect.

Diagram 4: A hand presses the Up arrow button, then the Down arrow button, and finally the OK button. The digital display shows 'Auto'. The physical device display shows 'Auto' with a starburst effect and a red indicator light on the pump 2 status bar.



LC 232

0.00

Reset OK

On Off Auto On Off Auto

1 2

GRUNDFOS

LC 232

0.00

Reset OK

On Off Auto On Off Auto

1 2

GRUNDFOS

LC 232

0.00

Reset OK

On Off Auto On Off Auto

1 2

GRUNDFOS



Available on the App Store

GET IT ON Google play

Grundfos GO Remote

INSTALL

GO

Grundfos GO Remote

be think innovate

Installation date: _____

Installer:

99918636 12.2020

ECM: 1303382

GRUNDFOS Holding A/S
Poul Due Jensens Vej 7
DK-8850 Bjerringbro
Tel: +45 87 50 14 00
www.grundfos.com

GRUNDFOS 

Trademarks displayed in this material, including but not limited to Grundfos, the Grundfos logo and "be think innovate", are registered trademarks owned by The Grundfos Group. All rights reserved.
© 2020 Grundfos Holding A/S, all rights reserved.